

FEED SCHEDULE COCO / COCO PERL BLENDS

	GROWTH PHASE WEEK OF GROWTH	VEGETATIVE WEEK 1	VEGETATIVE WEEK 2-3-4 >	FLOWER WEEK 1	FLOWER WEEK 2	FLOWER WEEK 3	FLOWER WEEK 4	FLOWER WEEK 5	FLOWER WEEK 6	FLOWER WEEK 7	FLOWER WEEK 8	FLOWER FINAL WEEK
1	FILL TANK WITH FRESH WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER
2	Add FASILITOR - mix well -	0.15 ml per 1L	0.15 ml per 1L	0.3 ml per 1L	0.3 ml per 1L	0.3 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	
3	Add MASSBOOST - mix well -	0.25 ml per 1L	0.25 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.25 ml per 1L	
4	Add PEAKBOOST - mix well -			0.12 ml per 1L	0.14 ml per 1L	0.16 ml per 1L	0.12 ml per 1L					
5	Add STARTBOOST - mix well -	0.25 ml per 1L	0.25 ml per 1L	0.5 ml per 1L								
6	Add FINALEBOOST - mix well -				0.13 ml per 1L	0.17 ml per 1L	0.25 ml per 1L	0.33 ml per 1L	0.4 ml per 1L	0.5 ml per 1L	0.67 ml per 1L	
7	Add BLOOMBOOST - mix well -				0.2 ml per 1L	0.25 ml per 1L	0.29 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.4 ml per 1L	0.5 ml per 1L	
8	Add BASE - mix well -	1.25 ml per 1L	1.5 ml per 1L									
	BASE - to EC -			1.2 – 1.4	1.2 – 1.4	1.2 – 1.4	1.4 – 1.6	1.4 – 1.6	1.4 – 1.6	1.4 – 1.6	1.0 – 1.2	
9	Add ECOZEN - mix well -		0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.5 ml per 1L
10	Check pH	pH 5.8	pH 5.8	pH 5.9	pH 6.0	pH 6.0	pH 6.1	pH 6.1	pH 6.2	pH 6.2	pH 6.2	pH 6.2
11	Nutrient mix is ready for use	PREFERABLY USE NUTRIENT MIX IMMEDIATELY, BUT ALWAYS WITHIN 3 DAYS. FOR LONGER / 7 DAYS RESERVOIRS, FOLLOW THE LOW MAINTENANCE FEED SCHEDULE										

FEED SCHEDULE HYDRO – HYDROTON / PERLITE

	GROWTH PHASE WEEK OF GROWTH	VEGETATIVE WEEK 1	VEGETATIVE WEEK 2-3-4 >	FLOWER WEEK 1	FLOWER WEEK 2	FLOWER WEEK 3	FLOWER WEEK 4	FLOWER WEEK 5	FLOWER WEEK 6	FLOWER WEEK 7	FLOWER WEEK 8	FLOWER FINAL WEEK
1	FILL TANK WITH FRESH WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER
2	Add FASILITOR - mix well -	0.15 ml per 1L	0.15 ml per 1L	0.3 ml per 1L	0.3 ml per 1L	0.3 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	
3	Add MASSBOOST - mix well -	0.25 ml per 1L	0.25 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.25 ml per 1L	
4	Add PEAKBOOST - mix well -			0.1 ml per 1L	0.11 ml per 1L	0.12 ml per 1L	0.1 ml per 1L					
5	Add STARTBOOST - mix well -	0.25 ml per 1L	0.25 ml per 1L	0.5 ml per 1L								
6	Add FINALEBOOST - mix well -				0.13 ml per 1L	0.16 ml per 1L	0.2 ml per 1L	0.25 ml per 1L	0.33 ml per 1L	0.5 ml per 1L	0.5 ml per 1L	
7	Add BLOOMBOOST - mix well -				0.2 ml per 1L	0.25 ml per 1L	0.29 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.4 ml per 1L	0.5 ml per 1L	
8	Add BASE - mix well -	1 ml per 1L	1.25 ml per 1L									
	BASE - to EC -			1.0 – 1.2	1.0 – 1.2	1.0 – 1.2	1.2 – 1.4	1.2 – 1.4	1.2 – 1.4	1.0 – 1.2	0.8 – 1.0	
9	Add ECOZEN - mix well -		0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.5 ml per 1L
10	Check pH	pH 5.8	pH 5.9	pH 5.9	pH 6.0	pH 6.0	pH 6.1	pH 6.1	pH 6.2	pH 6.2	pH 6.2	pH 6.2
11	Nutrient mix is ready for use	PREFERABLY USE NUTRIENT MIX IMMEDIATELY, BUT ALWAYS WITHIN 3 DAYS. FOR LONGER / 7 DAYS RESERVOIRS, FOLLOW THE LOW MAINTENANCE FEED SCHEDULE										

FEED SCHEDULE SOIL / BASEBOOST PELLET

	GROWTH PHASE WEEK OF GROWTH	VEGETATIVE WEEK 1	VEGETATIVE WEEK 2-3-4	FLOWER WEEK 1	FLOWER WEEK 2	FLOWER WEEK 3	FLOWER WEEK 4	FLOWER WEEK 5	FLOWER WEEK 6	FLOWER WEEK 7	FLOWER WEEK 8	FLOWER FINAL WEEK
1	Add BASEBOOST to soil or coco	100 grams per 25L									Top-dress for longer cycles	
2	FILL TANK WITH FRESH WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER
3	Add FASILITOR - mix well -	0.15 ml per 1L	0.15 ml per 1L	0.3 ml per 1L	0.3 ml per 1L	0.3 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	
4	Add MASSBOOST - mix well -		0.2 ml per 1L	0.2 ml per 1L	0.2 ml per 1L	0.2 ml per 1L	0.2 ml per 1L	0.2 ml per 1L	0.2 ml per 1L	0.2 ml per 1L		
5	Add PEAKBOOST - mix well -			0.06 ml per 1L	0.06 ml per 1L	0.06 ml per 1L	0.06 ml per 1L					
6	Add STARTBOOST - mix well -	0.25 ml per 1L	0.25 ml per 1L	0.5 ml per 1L								
7	Add FINALEBOOST - mix well -				0.1 ml per 1L	0.12 ml per 1L	0.15 ml per 1L	0.18 ml per 1L	0.2 ml per 1L	0.25 ml per 1L	0.33 ml per 1L	
8	Add BLOOMBOOST - mix well -				0.2 ml per 1L	0.2 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.33 ml per 1L	
9	Add ECOZEN - mix well -		0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.25 ml per 1L	0.5 ml per 1L
10	Check pH	pH 6.0	pH 6.0	pH 6.1	pH 6.1	pH 6.1	pH 6.1	pH 6.2	pH 6.2	pH 6.2	pH 6.2	pH 6.2
11	Nutrient mix is ready for use	PREFERABLY USE NUTRIENT MIX IMMEDIATELY, BUT ALWAYS WITHIN 3 DAYS										

FEED SCHEDULE LOW MAINTENANCE / 7 DAY

	GROWTH PHASE WEEK OF GROWTH	VEGETATIVE WEEK 1	VEGETATIVE WEEK 2-3-4>	FLOWER WEEK 1	FLOWER WEEK 2	FLOWER WEEK 3	FLOWER WEEK 4	FLOWER WEEK 5	FLOWER WEEK 6	FLOWER WEEK 7	FLOWER WEEK 8	FLOWER FINAL WEEK
DAY 1	1	FILL TANK WITH FRESH WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER
	2	Add FASILITOR - mix well -	0.15 ml per 1L	0.15 ml per 1L	0.3 ml per 1L	0.3 ml per 1L	0.3 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	0.15 ml per 1L
	3	Add MINERAL-CALMAG - mix well -	0.6 - 1 ml per 1L	0.6 - 1 ml per 1L	0.6 - 1 ml per 1L	0.6 - 1 ml per 1L	0.6 - 1 ml per 1L	0.6 - 1 ml per 1L	0.6 - 1 ml per 1L	0.6 - 1 ml per 1L	0.6 - 1 ml per 1L	0.6 - 1 ml per 1L
	4	Add BASE - mix well -	1.25 ml per 1L	1.5 ml per 1L								
		BASE - to EC -			1.0 - 1.2	1.0 - 1.2	1.0 - 1.2	1.2 - 1.4	1.2 - 1.4	1.2 - 1.4	1.0 - 1.2	0.8 - 1.0
5	Check pH	pH 5.8	pH 5.9	pH 5.9	pH 6.0	pH 6.0	pH 6.1	pH 6.1	pH 6.2	pH 6.2	pH 6.2	pH 6.2
END OF DAY 4 - START OF DAY 5	MEASURE THE AMOUNT OF FEED LEFT IN THE RESERVOIR AT THE END OF DAY 4 / START OF DAY 5 AND ADD BOOSTERS ACCORDING TO DOSAGE PER WEEK											
	6	Add STARTBOOST - mix well -	0.25 ml per 1L	0.25 ml per 1L	0.5 ml per 1L							
	7	Add PEAKBOOST - mix well -			0.12 ml per 1L	0.14 ml per 1L	0.16 ml per 1L	0.12 ml per 1L				
	8	Add FINALEBOOST - mix well -				0.13 ml per 1L	0.17 ml per 1L	0.2 ml per 1L	0.25 ml per 1L	0.33 ml per 1L	0.4 ml per 1L	0.5 ml per 1L
	9	Add BLOOMBOOST - mix well -				0.2 ml per 1L	0.25 ml per 1L	0.29 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.4 ml per 1L	0.5 ml per 1L
10	Check pH	pH 5.8	pH 5.9	pH 5.9	pH 6.0	pH 6.0	pH 6.1	pH 6.1	pH 6.2	pH 6.2	pH 6.2	pH 6.2
DAY 6 - 7	MEASURE THE AMOUNT OF FEED LEFT IN THE RESERVOIR AT THE END OF DAY 6 - START OF DAY 7 AND ADD ECOZEN AT 0.5 ML PER 1L											
	11	Add ECOZEN - mix well -		0.5 ml per 1L	0.5 ml per 1L	0.5 ml per 1L	0.5 ml per 1L	0.5 ml per 1L	0.5 ml per 1L	0.5 ml per 1L	0.5 ml per 1L	0.5 ml per 1L
THIS FEED SCHEDULE IS VERY EFFECTIVE AND A GREAT WAY TO SAVE TIME AND MONEY												

INCLUDING BREAKOUT POWDER TO YOUR FEED SCHEDULE

	GROWTH PHASE WEEK OF GROWTH	VEGETATIVE WEEK 1	VEGETATIVE WEEK 2-3-4 >	FLOWER WEEK 1	FLOWER WEEK 2	FLOWER WEEK 3	FLOWER WEEK 4	FLOWER WEEK 5 FIRST 3 DAYS	FLOWER WEEK 5 REMAINDER	FLOWER WEEK 6	FLOWER WEEK 7	FLOWER WEEK 8	FLOWER FINAL WEEK
1	FILL TANK WITH FRESH WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER
2	Add FASILITOR - mix well -	0.15 ml per 1L	0.15 ml per 1L	0.3 ml per 1L	0.3 ml per 1L	0.3 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	0.15 ml per 1L	
3	Add MASSBOOST - mix well -	0.25 ml per 1L	0.25 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.25 ml per 1L	
4	Add PEAKBOOST - mix well -			0.12 ml per 1L	0.14 ml per 1L	0.16 ml per 1L	0.12 ml per 1L						
5	Add STARTBOOST - mix well -	0.25 ml per 1L	0.25 ml per 1L	0.5 ml per 1L									
6	Add BREAKOUT POWDER - mix well -							50 gr per 100L					
7	Add FINALEBOOST - mix well -				0.13 ml per 1L	0.17 ml per 1L	0.25 ml per 1L		0.33 ml per 1L	0.4 ml per 1L	0.4 ml per 1L	0.67 ml per 1L	
8	Add BLOOMBOOST - mix well -				0.2 ml per 1L	0.25 ml per 1L	0.29 ml per 1L		0.33 ml per 1L	0.33 ml per 1L	0.33 ml per 1L	0.5 ml per 1L	
9	Add BASE - mix well -	1.25 ml per 1L	1.5 ml per 1L										
	BASE - to EC -			1.2 - 1.4	1.2 - 1.4	1.2 - 1.4	1.4 - 1.6	1.6 - 1.8	1.4 - 1.6	1.4 - 1.6	1.4 - 1.6	1.0	
10	Add Ecozen - mix well -												0.5 ml per 1L
11	Check pH	pH 5.8	pH 5.8	pH 5.9	pH 6.0	pH 6.0	pH 6.1	pH 6.1	pH 6.2	pH 6.2	pH 6.2	pH 6.2	pH 6.2
12	Nutrient mix is ready for use	PREFERABLY USE NUTRIENT MIX IMMEDIATELY, BUT ALWAYS WITHIN 3 DAYS. FOR LONGER / 7 DAYS RESERVOIRS, FOLLOW THE LOW MAINTENANCE FEED SCHEDULE											

PRE-SOAK & FEED FOR CLONES AND SEED-STARTING MEDIUM

COCO & COCO/PERL

MINERAL-CALMAG	0.4 ml per 1L
BASE	1 ml per 1L
STARTBOOST	1 ml per 1L

OR

MASSBOOST	0.25 ml per 1L
BASE	1 ml per 1L
STARTBOOST	1 ml per 1L

ROCKWOOL

MINERAL-CALMAG	0.4 ml per 1L
BASE	0.5 ml per 1L
STARTBOOST	1 ml per 1L

OR

MASSBOOST	0.25 ml per 1L
BASE	0.5 ml per 1L
STARTBOOST	1 ml per 1L

FOLIAR FEEDING

VEGETATIVE

Tap water. No need to adjust pH	
FASILITOR	1 ml per 1L
STARTBOOST	1 ml per 1L
MASSBOOST (optional)	2 ml per 1L

FLOWERING (First 2 weeks only)

Tap water. No need to adjust pH	
FASILITOR	1 ml per 1L
BLOOMBOOST	1 – 2 ml per 1L
MASSBOOST (optional)	2 ml per 1L